# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.


# WHOLESALE PRICE LIST ### 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937 | 1937



# BAKER BROS.

NURSERY

FORT WORTH, TEXAS



# **NOTICE**

This list is only for bona-fide nurserymen and dealers who have established businesses, and not for landscape contractors, local dealers or planters.

#### Wholesale Price List


# BAKER BROS., NURSERY

#### FORT WORTH, TEXAS

#### TERMS:-

2% 10 days—30 days net. Packing extra at cost. Packing free in carlots. Truck loads delivered within a radius of 300 miles at 10 rate. This is a very satisfactory method of handling stock.

#### Prices Subject to Change Without Notice



# **EVERGREENS** (Conifers)

10	100
\$ .55	\$ .45
	.60
	<b>.7</b> 5
2.50	2.20
\$ .50	\$ .45
	.50
	.85
1.15	1.00
1.25	1.10
1.75	1.50
orvitae):	
great need in g nal gardens, a	
	\$ .55 

\$.40

.85

.50

10-12 in. \$ .50

12-15 in. .....

garden work. Slow, compact grower. 2 feet.

BIOTA, Baker's:		
The best of the compact pyramidal form.	10	100
18-24 in	\$ .35	\$ .30
24-30 in.	1	.35
30-36 in		.45
3-4 ft.		.60
4-5 ft		.75
5-6 ft	<del>-</del>	$1.25 \\ 1.75$
	<b>2.</b> 00	1.79
BIOTA, Bonita: 30-36 in	\$1.00	\$ .85
BIOTA, Excelsa:	φ1.00	Ψ .00
4-5 ft.	\$1.15	\$1.10
5-6 ft		1.75
6-7 ft	3.00	2.50
BIOTA, Ramsey Hybrid:		
6-7 ft	4	\$1.50
7-8 ft.	2.50	2.00
BIOTA, Rosedale:	Φ 00	<b></b>
15-18 in	1	\$ .25
18-22 in		.30 .40
30-36 in.		.50
CEDRUS DEODARA:	•••	.00
2-3 ft	<b>\$</b> 1.35	\$1.25
3-4 ft.	'	1.50
4-5 ft.		2.00
5-6 ft.	0.00	2.50
CYPRESS, Arizona:		
18-24 in.	\$ .50	\$ .40
2-3 ft		.60
3-4 ft.		.80
4-5 ft.		1.00
5-6 ft. CYPRESS, Italian Worthiana:	1.75	1.50
Very superior strain of symmetrical upright a	rrowth. a	nd much
hardier than other cypresses. The parent tree		
twenty years old and has never been injured by o		
specimens were either killed outright or (everely		
severe cold spells we have had every four or f		
plants propagated from this stock were uninjured		
other stock was killed. Every tree is handsome growth.	and unito	rm m its
18-24 in.	<b>©</b> 55	\$ .50
2-3 ft.		$\phi$ .50 .65
JUNIPERUS, Excelsa Stricta (Spiny Greek):		.00
30-36 in	<b>\$</b> 1.35	\$1.25
36-42 in.		1.50
42-48 in.		2.00
4-5 ft	2.75	2.50
JUNIPERUS, Japonica Sylvestris:		
2-3 ft		\$1.10
3-4 ft.		1.40
4-5 ft	2.20	2.00



Juniperus Excelsa Stricta

We have a large supply of these plants. Come and see for yourself the quality of these and other plants listed.

JUNIPERUS, Sabina (Savin's Juniper):	10	100
18-24 in	\$ .85	\$ .75
24-30 in	1.10	1.00
30-36 in	1.35	1.25
36-42 in	1.60	1.50
JUNIPERUS, Virginiana (Red Cedar):		
2-3 ft	\$1.10	\$1.00
3-4 ft.	1.35	1.25
4-5 ft.	1.75	1.50
JUNIPERUS, Virginiana Kosterii:		
30-36 in	\$1.10	\$1.00
36-42 in.	1.35	1.25
JUNIPERUS, Virginiana Pyramidaformi Hilli		
(Dundee Juniper):		
24-30 in	\$2.00	\$1.75
30-36 in	2.25	2.00

# TEXAS CENTENNIAL ROSE

10's

100's

\$6.00 \$50.00

(21 or more at 100 rate)

# **BROADLEAF EVERGREENS**

ABELIA, Grandiflora:	10	100
18-24 in\$	.55	\$ .50
24-30 in.	.65	.60
30-36 in	.85	.75
BUXUS, Sempervirens (Box Wood):		
12-15 in. \$	.75	\$ .70
15-18 in		.90
18-24 in.	1.20	1.10
CORTADERIA, Argenta (Pampa Grass):	0.0	Ф <b>лг</b>
Medium\$		\$ .75
Heavy Clumps	1.25 2.00	1.00
Extra neavy Clumps	2.00	1.50
COTONEASTER, Panosa:	1 15	Ф
2-3 ft\$		\$
3-4 ft	1.50	
EUONYMUS, Patens:		
2-3 ft\$		\$ .75
3-4 ft.	1.10	1.00
GARDENIA, Florida (Cape Jasmine):		
12-18 in\$	.60	\$ .50
18-24 in.		.60
GENISTA, Spanish Broom:		
18-24 in. Gal. Cans\$		\$ .90
24-30 in. Gal. Cans		1.15
GENISTA, Scotch Broom:	• • • • •	1.10
18-24 in. B & B or cans\$		\$ .90
·		φ •••
HYPERICUM, Moserianum:	0.0	ф <b>г</b> о
12-18 in. Gal. Cans\$	.60	\$ .50
ILEX, Cornuti Burfordii:		
12-15 in. Gal. Cans\$		\$ .80
15-18 in. Gal. Cans		1.00
18-24 in. Gal. Cans	1.50	••••
ILEX, Vomitoria (Youpon) Sheared:		
12-15 in. \$	.65	\$ .60
15-18 in.	.80	.80
JASMINE, Floridum (Formerly called Humile):	_	
24-30 in\$	.80	\$ .75
LAUROCERASUS CAROLINIANA (Cherry Laurel):		
2-3 ft. \$\\ 3-4 ft. \$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		\$1.25
LAVENDER:		•••••
6-9 in\$	35	\$ .25
9-12 in.	.50	ψ .25 .35
12-15 in.	.50	.40
15-18 in.	.55	.45
18-24 in.	.60	.50

LEUCOPHYLLUM, Texanum:	10	100
18-24 in. in cans	\$ .55	\$ .50
24-30 in. in cans		.65
15-18 in.		.50
18-24 in.		.65
$\overline{24}$ - $\overline{30}$ in.		.85
30-36 in		1.00
LIGUSTRUM, Amurense (Amoor River Privet):		
Bare Rooted.	100	1000
18-24 in		\$50.00
2-3 ft.		60.00
LIGUSTRUM, Nanum Compactum (Lodense Privet): Bare Rooted for Hedge Purposes.		
12-15 in. Well Branched	\$	\$20.00
LIGUSTRUM, Lucidum Compactum (Cutting Grown): 18-24 in.		$^{100}_{\$}$ .75
LONICERA, Halliana:	Φ 40	Th.
12-18 in. Sheared Bushy		\$
15-24 in. Sheared Bushy		
LONICERA, Heckrotti (Evergreen Bush Honeysuckle)		
12-15 in	т -	\$ .50
15-18 in		.60
18-24 in		.75
24-30 in		1.00
30-36 in	1.40	1.25
MAHONIA, Aquifolia:	A = 0	
12-15 in		\$ .60
15-18 in		
18-24 in	1.25	•••••
MYRTUS, Communis:		
15-18 in.	•	\$.50
18-24 in		.75
24-30 in		1.00
MYRTUS, Communis Compacta (Dwarf Roman Myrtle		
12-15 in.	,	\$.50
15-18 in	90	.75
NANDINA, Domestica:		
9-12 in.		\$ .50
12-15 in.		.60
15-18 in.		.70
18-24 in.		.80
24-30 in.		1.00
30-36 in.	1.40	1.25
PITTOSPORM, Tobira:	Φ 00	Φ 00
12-18 in. Gal. Cans		\$ .60
18-24 in. Gal. Cans	1.00	.80
PYRACANTHA, Angustifolia:	Φ 55	Φ 00
12-18 in.		\$ .60
18-24 in.	1.00	.80
PYRACANTHA, Coccinea:	Ф ОО	ф <b>-</b> =
15-18 in.		\$ .75
18-24 in.	1.00	.90
PYRACANTHA, Crenulata:	Φ ==	Φ 20
12-18 in.		\$ .60
18-24 in	1.00	.80

,		100
In Gallon Cans \$1.	10 \$1	1.00
PYRACANTHA, Microphylla: 12-18 in\$.	80 \$	.75
18-24 in. 1.	,	1.00
PYRACANTHA, Yunnanensis:		
In Gallon Cans \$1.	10 \$1	1.00
QUERCUS, Virginiana (Live Oak): 5-6 ft\$1.	50 %	1.25
$1-1\frac{1}{4}$ in. $2$ .		1.50
$1\frac{1}{4} - 1\frac{1}{2}$ in. 2.		2.00
$1\frac{1}{2}$ -2 in. 3.	50	2.00
ROSEMARY: 12-15 in\$.	45 \$	.40
15-18 in	50	.45
18-24 in		.50
24-30 in	75 85	.65 $.75$
SANTOLINA:		
9-12 in. \$.		.25
12-15 in	35 $45$	.30 .40
	50	$.40 \\ .45$
VIRBURNUM, Rhytidophyllum (Leatherleaf Virburnum):		
15-18 in. \$1.	1	.80
18-24 in. 1. 24-30 in. 1.		$1.00 \\ 1.25$
YUCCA, Parvifolia (Red Flowering Yucca):	90	
12-15 in. \$ .0	· ·	.60
15-18 in		.75
18-24 in. 1.0 24-30 in. 1.2		.90 10
SHADE TREES		
ACER DASYCARPUM (Soft Maple):	40 e	20
5-6 ft\$ 6-8 ft		.30 .40
8-10 ft.	70	.60
$1\frac{1}{4} - 1\frac{1}{2}$ in.		.80 1.00
$1\frac{1}{2}$ -2 in. 1. 2-2\frac{1}{2} in. 1.		l.25
ALBIZZIA, Julibrissin (Mimosa Tree):		
4-5 ft\$.		.75
5-6 ft		00 50
CELTIS MISSISSIPPIENSIS (Hackberry):	10 1	00
5-6 ft\$	45 \$	.40
6-8 ft.	55	.50
8-10 ft	70 85	.60 .75
$1\frac{7}{4}$ - $1\frac{7}{2}$ in		.90
$1\frac{3}{4}$ -2 in. 1.2 2-2\frac{1}{2} in. 1.4		.00
4 :4 1/ 370	1//	.25



Three-Year-Old Chinese Elms

ELM, American:	10	100
6-8 ft	\$ .50	\$ .40
8-10 ft.	60	.50
$1\frac{1}{4}-1\frac{1}{2}$ in		.60
$1\frac{1}{2}-1\frac{3}{4}$ in.		.70
1¾-2 in.		.80
$2-2\frac{1}{2}$ in.	1.10	1.00
$2\frac{1}{2}$ -3 in.	1.35	1.25
$3-3\frac{1}{2}$ in.	1.85	1.75

CHINESE ELM (Ulmus Pumila):		
011111111111111111111111111111111111111	10	100
5-6 ft.	\$ .50	\$ .45
6-8 ft.		.60
$2-2\frac{1}{2}$ in.	1.50	1.25
$2\frac{1}{2}$ -3 in	2.00	1.60
$3-3\frac{1}{2}$ in	2.50	2.10
$3\frac{1}{2}$ -4 in	3.00	2.50

We have several thousand good Chinese Elms from  $2\frac{1}{2}$  inches up. These are beautiful trees and we can make special prices on carload lots.

FRAXINUS, Americanus (American Ash):	10	100
5-6 ft.		\$ .30
6-8 ft.		.40
8-10 ft.		.50
$1\frac{1}{4}$ - $1\frac{1}{2}$ in.	65	.60
FRAXINUS, Arizonica (Arizona Ash):	<b>a</b> 25	Φ 20
5-6 ft		\$ .30 .40
GLEDITSIA, Triacanthos (Honey Locust):		
3-4 ft.	\$ .35	\$ .30
4-5 ft.		.40
5-6 ft	55	.50
$1\frac{1}{4}$ -1\frac{1}{2} in	2.00	1.50
$1\frac{1}{2}$ -1\frac{3}{4} in.	2.25	1.75
KOELREUTERIA, Paniculata (Golden Rain Tree):		
4-5 ft		\$ .60
5-6 ft.		.85
6-8 ft.	1.25	1.10
MELIA, Azedarach (Texas Umbrella China):		
3-4 ft	1	\$ .25
4-5 ft.		.35
5-6 ft	60	.50
PLATANUS OCCIDENTALIS (American Sycamore):		
5-6 ft.	\$ .40	\$ .35
6-8 ft	45	.40
8-10 ft	55	.50
$1\frac{1}{4} - 1\frac{1}{2}$ in		.65
$1\frac{1}{2}$ -1\frac{3}{4} in.		.75
1¾-2 in		.85
$2-2\frac{1}{2}$ in		1.00
$2\frac{1}{2}$ -3 in	1.50	1.35
POPULUS, Bolleana (Bolleana Poplar):		
5-6 ft	\$ .50	\$.45
6-8 ft	75	.70
STERCULIA PLATANIFOLIA (Japan Varnish):		
8-10 ft.		\$1.00
$1\frac{1}{4} - 1\frac{1}{2}$ in.		1.25
$1\frac{1}{2}$ -2 in	1.75	1.50
SHRUBS		
ALTHEA, In Variety:		
18-24 in	\$ .20	\$ .15
2-3 ft	25	.20
CRAPE MYRTLE:		
18-24 in	\$ .20	\$ .15
2-3 ft	25	.20
CYDONIA JAPONICA (Japan Quince):		
18-24 in	\$ .25	\$ .20
2-3 ft.		.25
	.55	0
HARDY LANTANA:		
Our best low growing ever-blooming shrub. Extra heavy	¢ 90	\$ .15
Extra neavy	φ .Δ0	φ .10

JASMINE, Nudiflora: Medium	~ -	100 \$ .15
Heavy	25	.20
PUNICA GRANATUM (Flowering Pomegranate):	ф <b>1</b> г	ф <b>1</b> 0
18-24 in.		\$ .12
2-3 ft.	~ ~	.15
3-4 ft.	25	.20
RED BUD:	ф <b>О</b> О	<b>Ф 1</b> Г
18-24 in.		\$ .15 .20
2-3 ft		.20
4-5 ft.		.40
	00	.40
SALVIA GREGGI:  Medium	¢ 20	\$ .15
Heavy		.13 .20
·	20	.20
SPIREA, Prunifolia:	<b>P</b>	\$ .20
18-24 in. 2-3	,	Ф.20 .25
3-4 ft.		.25
	•••••	.00
SPIREA, Thunbergii:	Φ.	e 10
12-15 in.		\$ .12
15-18 in		.15 .20
2-3		.25
SPIREA, Van Houttei:	• • • • • • • • • • • • • • • • • • • •	.20
15-18 in	<b>Q</b>	\$ .12
18-24 in.		φ .12 .15
2-3 ft.		.20
VITEX, Agnus Castus:	•• •••••	.20
2-3 ft	\$	\$ .20
3-4 ft.	Ψ	$\overset{\circ}{.25}$
		•
LINING OUT STOCK		
CONIFEROUS EVERGREENS		
BIOTA, Aurea Nana (Berckman's Dwarf Golden):		
	100	1000
2¼ in. Pots\$	8.00	\$70.00
BIOTA, Bakerii:		
Rooted Cuttings, 4-6 in.		40.00
2¼ in. Pots	7.00	60.00
Field Grown, 8-10 ft.	10.00	90.00
Field Grown, 10-12 inField Grown, 12-15 in		$100.00 \\ 120.00$
•	14.00	120.00
BIOTA, Bonita:	6.00	<b>PEO 00</b>
Rooted Cuttings, 4-6 in\$ 2½ in. Pots		$$50.00 \\ 70.00$
BIOTA, Excelsa:	0.00	70.00
Rooted Cuttings, 4-6 in.	5.00	40.00
2¼ in. Pots		60.00
Field Grown, 8-10 ft	10.00	90.00
Field Grown, 10-12 in.	12.00	100.00
Field Grown, 12-15 in.	14.00	120.00
BIOTA Rosedale:		
Rooted Cuttings, 3-4 in\$		\$30.00
Rooted Cuttings, 2 yr., 6-8 in	5.00	40.00

#### CYPRESS, Italian Worthiana:

Very superior strain of symmetrical upright growth, and much hardier than other cypresses. The parent tree on our grounds is twenty years old and has never been injured by cold when all other specimens were either killed outright or severely damaged by the severe cold spells we have had every four or five years. Young plants propagated from this stock were uninjured in the field while other stock was killed. Every tree is handsome and uniform in its growth.

	100	1000
Rooted Cuttings	\$ 7.00	\$50.00
2¼ in. Pots		80.00
$2\frac{1}{4}$ in Pots, 6-8 in		100.00
,		
BROADLEAF EVERGREENS	AND SHRUBS	
ABELIA, Grandiflora:		
Rooted Cuttings	\$ 4.00	\$30.00
2¼ in. Pots	7.00	60.00
BUDDLEIA, ILE DE FRANCE:		
2 in. Pots	\$8.00	\$70.00
ENGLISH IVY		
2 ½ in. Pots	\$ 6.00	\$50.00
HYPERICUM, Moserianum:		
2 in. Pots	\$ 8.00	\$70.00
JASMINE FLORIDUM (Humile):		
Rooted Cuttings	\$ 4.00	\$30.00
Transplanted, 6-9 in.	7.00	50.00
LANTANA, Hardy, Pink		
LANTANA, Hardy, Orange:		
2 in. Pots	\$ 6.00	\$50.00
LAVENDER:	·	
2 in. Pots	\$ 6.00	\$50.00
LEUCOPHYLLUM, Texanum:	·	eft .
2¼ in. Pots	\$10.00	\$80.00
LIGUSTRUM, Nanum Compactum:		
4-6 in., R. C.	\$ 4.00	\$30.00
6-9 in., R. C	3 <b>.</b> 50	30.00
6-9 in., Transplanted	5 <b>.</b> 00	40.00
LONICERA, Nitida:		
2 in. Pots	\$10.00	\$
ROSEMARY:		
2 in. Pots	\$ 6.00	\$50.00
SANTOLINA:		
9 : D - 4	<b></b>	@FA AA

#### CHINESE ELM SEEDLINGS

9-12 in\$	.75	\$ 5.00
12-18 in.		7.00
18-24 in.	1.50	10.00
2-3 ft.	2.00	15.00
3-4 ft.	3.50	25.00
4-5 ft.	5.00	40.00

\$50.00



